





	12		11		10		9		8		7		6		5		4		3		2		1
CIRCUITS		DIM. 'A'	$\pm \frac{0.33}{.013}$																				
2		$\frac{21.08}{.830}$																					
3		$\frac{28.58}{1.125}$																					
4		$\frac{36.07}{1.420}$																					
5		$\frac{43.56}{1.715}$																					
6		$\frac{51.05}{2.010}$																					
8		$\frac{66.04}{2.600}$																					



1. INSULATOR MATERIAL: 30% GLASS FILLED 4/6 NYLON UL94V-0, COLOR: BLACK
TERMINAL MATERIAL : BRASS
2. TERMINAL FINISH: OVERALL REFLOWED MATTE TIN: 0.00152/.000060 MIN OVER 0.00127/.000050 MIN NICKEL.
3. PRODUCT SPECIFICATION PS-44441-9999.
4. PACKAGING: SEE CHART
5. THIS HEADER MATES WITH 44441 OR 43335 SERIES RECEPTACLE HOUSINGS.
6. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002
7. TEXT ON PART IS FOR REFERENCE ONLY. TEXT AND TEXT LOCATION MAY VARY DEPENDING ON PART NUMBER AND/OR TOOL.
8. PART DESIGNED IN INCHES.





SHEETS 1 AND 2: VERTICAL HEADERS
SHEETS 3 AND 4: RIGHT ANGLE HEADERS
SHEET 5: POLARIZATION

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
= 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: CORRECTED DIMENSION UNITS IN TITLE BLOCK			molex SABRE HEADER ASSEMBLY 2-6 & 8 CIRCUIT .125(3.18) X .020(0.51)				
	MM/IN		4:1									
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 637904 DRWN: BZAPPA 2020/05/19 CHK'D: MKIPPER 2020/05/21 APPR: FSMITH 2020/05/26			PRODUCT CUSTOMER DRAWING				
	MM		INCH									
	4 PLACES ± ±		INITIAL REVISION: DRWN: MKIPPER 2019/09/06 APPR: FSMITH 2019/09/17			DOCUMENT NUMBER 431600001-SD		DOC TYPE PSD	DOC PART 000	REVISION A1		
	3 PLACES ± ± 0.005											
	2 PLACES ± 0.13 ± 0.01		THIRD ANGLE PROJECTION 			DRAWING C-SIZE	SERIES 43160	MATERIAL NUMBER SEE CHARTS		CUSTOMER GENERAL MARKET		SHEET NUMBER 1 OF 5
	1 PLACE ± 0.25 ±											
	0 PLACES ± ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
	ANGULAR TOL ± 0.5 °											

DOCUMENT STATUS	P1	RELEASE DATE	2020/05/26 17:59:01
-----------------	----	--------------	---------------------

THIS DRAWING REPLACES SDA-43160-****

12		11	10	9	8	7	6	5	4	3	2	1
CIRCUITS	DIM. 'A' ±	0.33 .013										
2	21.08 .830											
3	28.58 1.125											
4	36.07 1.420											
5	43.56 1.715											
6	51.05 2.010											
8	66.04 2.600											



SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: CORRECTED DIMENSION UNITS IN TITLE BLOCK				molex							
		MM/IN		4:1													
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)								EC NO: 637904 DRWN: BZAPPA 2020/05/19 CHK'D: MKIPPER 2020/05/21 APPR: FSMITH 2020/05/26				SABRE HEADER ASSEMBLY 2-6 & 8 CIRCUIT .125/(3.18) X .020/(0.51)			
	= 0																
	= 0	4 PLACES		±	MM	INCH	±										
	= 0	3 PLACES		±		±	0.005										
	= 0	2 PLACES		±	0.13	±	0.01										
	= 0	1 PLACE		±	0.25	±											
	= 0	0 PLACES		±				INITIAL REVISION: DRWN: MKIPPER 2019/09/06 APPR: FSMITH 2019/09/17				DOCUMENT NUMBER 431600001-SD		DOC TYPE PSD	DOC PART 000	REVISION A1	
	= 0	ANGULAR TOL		±	0.5 °												
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING C-SIZE		SERIES 43160		MATERIAL NUMBER SEE CHARTS		CUSTOMER GENERAL MARKET		SHEET NUMBER 3 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2020/05/26	17:59:01
-----------------	----	--------------	------------	----------

RIGHT ANGLE HEADER ASSEMBLIES					
ASSEMBLY PART NO.	CIRCUITS	DIM. 'P' ± 0.28 .011	BOARD LOCK	DIM. 'B' ± 0.10 .004	PACKAGING SPEC.
43160-1102	2	3.81/(.150) (SHORT TAIL)	NO	N/A	PK-43160-0010
43160-1103	3				
43160-1104	4				
43160-1105	5				
43160-1106	6				
43160-1108	8				
43160-1302	2	5.33/(.210) (LONG TAIL)	NO	N/A	PK-43789-001
43160-1303	3				
43160-1304	4				
43160-1305	5				
43160-1306	6				
43160-1308	8				
43160-3102	2	3.81/(.150) (SHORT TAIL)	YES	1.78/(.070) FOR 1.57/(.062) PCB	PK-43789-001
43160-3103	3				
43160-3104	4				
43160-3105	5				
43160-3106	6				
43160-3108	8				
43160-5102	2	3.81/(.150) (SHORT TAIL)	YES	2.59/(.102) FOR 2.39/(.094) PCB	PK-43789-001
43160-5103	3				
43160-5104	4				
43160-5105	5				
43160-5106	6				
43160-5108	8				
43160-5302	2	5.33/(.210) (LONG TAIL)	YES	2.59/(.102) FOR 2.39/(.094) PCB	PK-43789-001
43160-5303	3				
43160-5304	4				
43160-5305	5				
43160-5306	6				
43160-5308	8				
43160-7302	2	5.33/(.210) (LONG TAIL)	YES	3.38/(.133) FOR 3.18/(.125 PCB)	PK-43789-001
43160-7303	3				
43160-7304	4				
43160-7305	5				
43160-7306	6				
43160-7308	8				
ASSEMBLY PART NO.	CIRCUITS	DIM. 'P'	BOARD LOCK	DIM. 'B'	PACKAGING SPEC.

RECOMMENDED P.C. BOARD LAYOUT FOR RIGHT ANGLE HEADERS

6 CIRCUIT SHOWN


MATED DIMENSIONS RIGHT ANGLE HEADERS

RIGHT ANGLE HEADER ASSEMBLIES WITH VOIDED TERMINALS						
ASSEMBLY PART NO.	CIRCUITS	DIM. 'P' ± 0.28 .011	BOARD LOCK	DIM. 'B' ± 0.10 .004	PACKAGING SPEC.	VOID CIRCUIT(S)
43160-9001	4	3.81/(.150)	YES	1.78/(.070)	PK-43789-001	2
43160-9003	5	(SHORT TAIL)		FOR 1.57/(.062) PCB		2, 4


DOCUMENT STATUS	P1	RELEASE DATE	2020/05/26	17:59:01
-----------------	----	--------------	------------	----------

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
∇A = 0	MM/IN	2:1
∇E = 0		
∇F = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
S = 0	MM	INCH
	4 PLACES ±	±
▼ = 0	3 PLACES ±	± 0.005
	2 PLACES ±	± 0.13 ± 0.01
▽ = 0	1 PLACE ±	± 0.25 ±
	0 PLACES ±	±
⊠ = 0	ANGULAR TOL ± 0.5 °	
■ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
▽ = 0	THIRD ANGLE PROJECTION	


CURRENT REV DESC: CORRECTED DIMENSION UNITS IN TITLE BLOCK		
EC NO: 637904	2020/05/19	PRODUCT CUSTOMER DRAWING
DRWN: BZAPPA	2020/05/21	
CHK'D: MKIPPER	2020/05/26	
APPR: FSMITH	2020/05/26	DOCUMENT NUMBER
INITIAL REVISION:		DOC TYPE
DRWN: MKIPPER	2019/09/06	DOC PART
APPR: FSMITH	2019/09/17	REVISION
DRAWING		MATERIAL NUMBER
C-SIZE	SERIES	CUSTOMER
43160	43160	SHEET NUMBER
SEE CHARTS	GENERAL MARKET	4 OF 5




2 CIRCUITS




3.05
.120
2 AND 3 CIRCUIT




3 CIRCUITS




10.54
.415
4 CIRCUIT AND UP




4 CIRCUITS



5 CIRCUITS




6 CIRCUITS



8 CIRCUITS

POLARIZATION

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: CORRECTED DIMENSION UNITS IN TITLE BLOCK			molex									
	MM/IN		2:1														
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 637904 DRWN: BZAPPA 2020/05/19 CHK'D: MKIPPER 2020/05/21 APPR: FSMITH 2020/05/26			SABRE HEADER ASSEMBLY 2-6 & 8 CIRCUIT .125/(3.18) X .020/(0.51)									
 = 0																	
 = 0	MM		INCH		INITIAL REVISION: DRWN: MKIPPER 2019/09/06 APPR: FSMITH 2019/09/17			DOCUMENT NUMBER 431600001-SD		DOC TYPE PSD	DOC PART 000	REVISION A1					
	4 PLACES ± ±																
 = 0	3 PLACES ± ± 0.005				THIRD ANGLE PROJECTION 			DRAWING C-SIZE		SERIES 43160		MATERIAL NUMBER SEE CHARTS		CUSTOMER GENERAL MARKET		SHEET NUMBER 5 OF 5	
	2 PLACES ± 0.13 ± 0.01																
 = 0	1 PLACE ± 0.25 ±				DRAWING C-SIZE			SERIES 43160		MATERIAL NUMBER SEE CHARTS		CUSTOMER GENERAL MARKET		SHEET NUMBER 5 OF 5			
	0 PLACES ± ±																
 = 0	ANGULAR TOL ± 0.5 °																
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																

DOCUMENT STATUS	P1	RELEASE DATE	2020/05/26	17:59:01
-----------------	----	--------------	------------	----------